

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S16 5	10282	(search or query) adj (parameter or property or attribute)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 18:53
S16 4	223405	user adj2 select\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 18:53
S16 9	137	S166 and S168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/05/27 18:55
S16 8	43560	("707").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 18:55
S16 7	20303	("707").CLAS.	USPAT; USOCR	OR	OFF	2007/05/27 18:55
S14	3195815	n-gram or trigram or \$4gram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 18:56
S17 2	9412	n-gram or trigram or linguistic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 18:57
S17 1	134	S169 and S170	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 18:57

EAST Search History

S17 0	4049468	n-gram or trigram or \$4gram or linguistic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 18:57
S17 6	80	S166 and S174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:01
S17 5	1819	S165 and S174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:01
S17 4	1804594	flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:01
S17 3	4	S169 and S172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:01
S17 8	4	S163 same linguistic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:02
S17 7	52	S169 and S174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:02
S16 3	2321	user with select\$4 with (parameter or property or attribute) with (search or query)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:02

EAST Search History

S166	263	S164 with S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:04
S55	9	S54 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:04
S180	8	linguistic pattern matching	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:10
S184	22088	query same search\$3 same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:11
S183	35	S181 not S182	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:11
S182	79	S181 same user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:11
S181	114	query same linguistic same search\$3 same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:11
S185	791	S184 and linguistic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:12

EAST Search History

S18 6	53	S185 and S163	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:15
S18 7	471	modify\$3 with search with (parameter or attribute or property)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:17
S18 9	118	S188 and S168	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:19
S19 1	66586	S168 or S190	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/05/27 19:20
S19 0	23592	("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/27 19:20
S18 8	217	S187 same user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:20
S19 3	122	S188 and S191	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/05/27 19:21

EAST Search History

S19 2	4	S188 and S190	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/05/27 19:21
S17 9	50	S166 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:26
S19 5	5538	(select\$3 or modify\$3) with (length or number) with (string or n-gram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:37
S19 8	616	S191 and S197	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:38
S19 7	2992	S196 same user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:38
S19 6	28407	(select\$3 or modify\$3 or customiz\$3) with (value or length or number) with (string or n-gram or index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:38
S20 0	59	S191 and S199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:39
S19 9	443	S197 same (parameter or property)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:39

EAST Search History

S19 4	28	S193 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:40
S20 3	49	(US-20020065794-\$).did. or (US-6618727-\$ or US-4833610-\$ or US-6601058-\$ or US-6529892-\$ or US-5778364-\$ or US-6324534-\$ or US-6032145-\$ or US-5873660-\$ or US-6321224-\$ or US-5606690-\$ or US-5369577-\$ or US-5323316-\$ or US-6269368-\$ or US-6202064-\$ or US-5724571-\$ or US-6144958-\$ or US-6047300-\$ or US-5521816-\$ or US-5485372-\$ or US-5333317-\$ or US-5303150-\$ or US-4818131-\$ or US-6256630-\$ or US-6189006-\$ or US-6038561-\$ or US-5963940-\$).did. or (US-5694592-\$ or US-5519608-\$ or US-5469354-\$ or US-6665666-\$ or US-6026388-\$ or US-6480843-\$ or US-5404507-\$ or US-6424983-\$ or US-5845306-\$ or US-5765180-\$ or US-5477448-\$ or US-5008818-\$ or US-6018736-\$ or US-5978797-\$ or US-5933822-\$ or US-5418951-\$ or US-7072888-\$ or US-6650998-\$ or US-6507841-\$ or US-6438539-\$ or US-5870741-\$ or US-5752242-\$).did.	US-PGPUB; USPAT	ADJ	OFF	2007/05/27 19:44
S20 5	85	S191 and S202	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:45
S20 4	0	S202 and S203	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:45
S20 1	18	S200 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:45

EAST Search History

S20 2	723	database with (restricted or approved) with (buy\$3 or customer or consumer or receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:46
S20 8	383	database with (restricted or approved) with (buyer or buying party or customer or consumer or receiver or receiving party)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:53
S20 6	26	S205 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 19:53
S21 1	14	database with (restricted) with (buyer or buying party or receiver or receiving party)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 20:00
S20 9	106	database near5 (restricted or approved) near5 (buyer or buying party or customer or consumer or receiver or receiving party)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 20:01
S21 3	62	S212 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 20:04
S21 0	19	S209 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 20:04
S21 4	13	S212 same (database or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 20:05

EAST Search History

S21 2	168	(screen\$3 or monitor\$3) with (buyer or buying party or customer or consumer or receiver or receiving party) with (restricted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 20:07
S21 5	8	(screen\$3 or monitor\$3 or add\$3) with (company or entity or buyer or buying party or customer or consumer or receiver or receiving party) with (restricted) with (database or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/27 20:08
S20 7	10	database adj2 (restricted or approved) adj2 (party or buyer or customer or consumer or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/28 09:46
L1	0	user selectable search index property	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/28 09:46

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	user selectable search index property	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/28 09:46
L2	3	((("4833610") or ("5737723") or ("5724597"))).PN.	USPAT; USOCR	OR	OFF	2007/05/28 09:58
L4	106	database near5 (restricted or approved) near5 (buyer or buying party or customer or consumer or receiver or receiving party)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/28 10:37
L5	43560	("707").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/28 10:38
L6	23592	("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/28 10:38
L7	66586	L5 or L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/05/28 10:38
L8	723	database with (restricted or approved) with (buy\$3 or customer or consumer or receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/28 10:38
L9	85	L7 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/28 10:38
			US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			

EAST Search History

L10	46	database with (restricted or banned or blocked or unauthorized or forbidden) with (buyer or buying party or receiver or receiving party)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/28 10:54
L11	7	("20020026403" "5630070" "5787000" "5940807" "6041267" "6049742" "6219653").PN. OR ("7047220").URPN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/05/28 10:48
L12	5	feedback with (restricted or banned or blocked or unauthorized or forbidden) with (buyer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/28 10:54
L13	94	feedback with (restricted or banned or blocked or unauthorized or forbidden) with user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/28 10:55
L14	16	13 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/28 10:55